ROWING PAPER

PRODUCTFOLDER | EDITION 1 | JANUARY 2025





MOJO 18' ROWESAIL



ROWING ON INFLATABLE BOARDS



SLIGHTLY WIDER, THE ROWINGBOARD FOR MAXIMUM STABILITY

Length: 5.49 m (18') Width: 76 cm (30") Weight: Board 14.3 kg (31.5 lbs), total incl. equipment 18.2 kg (40.1 lbs) max. Load: 250 kg (551 lbs) Inflation time: less than 10 minutes 4° V bottom for fast planing for 1-2 rowers



ROWONAIR ENABLES YOU TO ROW ON INFLATABLE SUP BOARDS, AIR KAYAKS, AND INFLATABLE SKIFFS. FOR ROWING OR SCULLING, CHOOSE FROM TWO UNIQUE ROWING SYSTEMS: ROWVISTA® AND ROWMOTION®.

ROW

coastalrowingforce.com

AIRSKIFF 17

THE SPORTY SINGLE ROWING BOARD

Length: 5,18 m (17') Total Width: 60 cm (23.4") Weight Board: 13 kg (28.7 lbs), total incl. equipment 17 kg (37.5 lbs) max. Load: 160 kg (352 lbs) Inflation time: less than 8 minutes

1 1) AIRSKIFF 17



3.3.3.3

M

GIN AIR

ICOASTER 18

THE ULTIMATE COASTAL ROWING BOARD

Length: 5,49 m (18') Total width: 87 cm (34") Weight: Board 19 kg (42 lbs), total incl. equipment 22,8 kg (50.3 lbs) max. Load: 300 kg (661 lbs) Inflation time less than 10 minutes 4° V bottom for fast planing for 1-2 rowers

LITE 15

LIGHTER AND SHORTER, THE BOARD FOR BOTH ROWING AND STAND-UP-PADDLING

Length: 4,57 m (15') Width: 66 cm (26") Board 9.8 kg (21.6 lbs), total incl. equipment 12.7 kg (28 lbs) max. Load: 160 kg (353 lbs) Inflation time less than 5 minutes 4° V bottom for fast planing



HIGH-TECH FORWARD ROWING-SYSTEM

With RowVista®, the innovative system with integrated blade feathering, you row in the direction you are facing. Choose between:



Yoke-Outrigger Flat for MOJO 18, DUDE 18, LITE 15 and iCOASTER 18



Yoke-Outrigger Deep for AIRKAYAK 16 Weight: 3,5 kg (7.7 lbs)



Roller rail with sliding seat, foot stretcher and support feet, Weight: 6,6 kg (14.6 lbs) kg



1 pair RowVista® forward rowing sculls Length when split: 113 cm (44.5") Weight per scull: 4,5 kg (9.9 lbs)

Total weight RowVista® rowing Skid: 19,1 kg (42.1 lbs)

ROW

CLASSIC REVERSE ROWING SYSTEM

With RowMotion[®] you row backwards in the classic style, like on traditional rowing boats or rowing racing boats. Choose between:




Yoke-Outrigger Flat for MOJO 18, DUDE 18, LITE 15 and iCOASTER 18



Yoke-Outrigger Deep for AIRKAYAK 16 Weight: 3,1 kg (6.8 lbs)



Roller rail with sliding seat, foot stretcher and support feet, Weight: 6,6 kg (14.6 lbs)



1 pair of partable RowMotion® sculls made of carbon, Weight per scull: 1.6 kg (3.5 lbs)

Total weight RowMotion® rowing Skid: 12,9 kg (28.4 lbs)

MOJO 18

and the second

SLIGHTLY FASTER, THE ROWING BOARD FOR BEST PERFORMANCE

Length: 5,49 m (18') Width: 66 cm (26") Weight: Board 13.1 kg (28.9 lbs), total incl. equipment 17 kg (37.5 lbs) Inflation time less than 9 minutes 4° V bottom for fast planing for 1-2 rowers




THIS IS HOW THE RowVista® SYSTEM OPERATES:

- **1**. Rigid seesaw
- 2. High-strength connecting rods with ball head
- 3. Stop cam ensures the optimum blade pitch
- **4.** Smooth-running ball bearings for effortless feathering, squaring and rowing
- **5.** Carbon fiber handle and rudder blade tube from one mold
- 6. Release leash for fold in the oars
- 7. Rigid pivot rowlock




GENERAL PRODUCT DETAILS

High-quality carbon and seawater-resistant aluminum. Assemble in just 2 minutes, without tools, just with click and plug mechanisms.





Simply hook into the preassembled D-rings and buckle the Rowing Skid – RowVista® or RowMotion®. Foot stretcher with pivot axle: no overstretching of the Achilles tendon.





ROW&SAIL GMBH | Gewerbezeile 9, 4040 Lichtenberg / Linz, Österreich, Europa +43 7239 20275 | office@rowandsail.com | www.coastalrowingforce.com